

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# W. B. CLARKE & CO.

Bulbs - Plants - Rose Bushes - Shrubs - Trees



P. O. BOX 343.  
SAN JOSE, CALIFORNIA.

LIST NO. 3903.

FEB. 10, 1939.

## GROWING ON STOCK

Everything offered below is high grade material which we have grown primarily for our own use but of which we have more than we need for this season's planting.

**NEW AND SCARCE PLANTS.** In addition to a better class of commonly known varieties we offer you a splendid opportunity to obtain many new and scarce items, propagated from stock that took us many years and much trouble to import from all over the world.

**QUANTITY RATES.** 2½" pot stock is offered 25 or more of a size and kind at the 100 rate. Add 20% for smaller quantities. Conifers in 4" pots - 5 or more of a size and kind at 10 rate, 25 or more at 100 rate.

**SHIPPING.** Please state whether you want goods sent by freight, express or truck line. If you do not want immediate shipment give an approximate date.

**PACKING.** At cost as usual.

**ABBREVIATIONS.** G grafted; C cuttings; S seedlings.

Lining out stock is customarily offered from 2" pots but DO YOU KNOW THAT a 2½" pot holds almost exactly twice as much as a 2" pot! Consequently our plants in 2½" pots show a corresponding difference.

We are now pretty well caught up on advance orders and can give you 24 hour service, weather conditions permitting.

### B R O A D   L E A V E D   E V E R G R E E N S

(all from 2½" pots except where otherwise indicated.)

		100 rate			100 rate
ABELIA floribunda	C 6 - 8"	\$ .10	BERBERIS darwini	C 8 -12"	\$ .15
RED ABELIA			DARWIN BARBERRY (from 3" pots)		
triflora	C 6 - 8"	.10	BORONIA elatior	C 8 -10"	.10
FRAGRANT ABELIA			BRACHYDEMA lanceolatum (new)		
ACACIA baileyana	S 6 -10"	.10	SWIFT RIVER PEABUSH	C 4 -6 "	.15
	S 4 -6 "	.08	CAMPORA officinalis	S 1½/2 "	.15
ARBUTUS menziesi	S 3 -4 "	.15	CAMPOR TREE (from 3" pots)		
MADRONE			CEANOETHUS impressus (new)		
unedo	S 3 -4 "	.10	(deep blue)	C 8 -12"	.15
STRAWBERRY TREE			CHERONTA lindides (new)		
ASTER fruticosa (new)	C 6 -8 "	.10	(pink fls)	C 8 -12"	.10
AUCUBA jap. varieg.	C 3 -4 "	.10	CHORIZEMA cordatum	S 6 -8 "	.10
GOLD DUST AUCUBA			FLAME PEABUSH		
AZARA microphylla	C 4 -6 "	.10	ilicifolium	S 6 -8 "	.10
BOXLEAF AZARA	C 3 -4 "	.08	"FLOWERING OAK"		



COTONEASTER apiculata S 6 -10"	.10	LEPTOSPIRUM laevigatum	
OPUNDEBBY COTONEASTER 4-6 "	.08	AUSTRALIAN TEA-TR. S 1½/2 "	.08
conspicua decora S 6 -8 "	.10	LIGUSTRUM japonicum S 1½/2 "	.12
NECALACE COTONEASTER		(evergreen Privet) S 1 / 1½'	.10
francheti S 1 / 1½'	.10	S 8 -12"	.08
FRANCHET C. S 6 -12"	.08	MAGNOLIA grandiflora S 4 -6 "	.08
frigida S 1 / 2'	.08	SOUTHERN MAGNOLIA	
HIMALAYAN C.		MYRSINE africana C 3 -4 "	.10
glaucophylla (new) S 8 -12"	.10	MYRTUS com. compacta C 4 -6 "	.08
(large scarlet berries)		COMPACT MYRTLE	
parvosa S 3 -12"	.08	communis minima (new) C 3 -4 "	.10
ELAEAGNUS pung. mac. G 6 -10"	.20	(very dwarf form)	
GOLDENLEAF ELAEAGNUS		NANDINA domestica S 4 -6 "	.10
ESCALLONIA donardensis (new)		S 2 -4 "	.08
(appleblossom pink) C 8 -12"	.10	domestica alba (new) S 3 -4 "	.12
edinensis C 8 -12"	.10	(white berried form)	
(bright rose)		NERIUM -OLEANDER C 4 -6 "	.10
EUCALYPTUS cinerea (new)		Cardinal Red (Sgl)	
(pale pink) S 8 -12"	.10	Double Red	
prussiana (new; dwf) S 4 -6 "	.20	Double Pink	
(striking lemon-colored fls)		Double White (semi-dbl)	
EUCRYPHIA pinnatifolia (new)		Prof. Bodkin (sgl rose-red)	
(large white fls) S 2 -4 "	.25	Com. Barthelmy (new) Dbl large	
FATSIA japonica moseri 4 -6 "	.12	bright red streaked white)	
GARDENIA florida S 2 -4 "	.10	C 4 -6 "	.15
CAPE JASMINE		NIEREMBERGIA gracilis C 1/1½'	.10
GREVILLEA obtusifolia (new)		hippomanica C 4-6 "	.08
(250 or more @ 6g) C 4 -6 "	.10	BLUE CUP FLOWER (cttgs from	
(red fls., low spreading habit)		selected deep blue form)	
HEDERA conglomerata C 3 -4 "	.10	OSMANTHUS aurantiacus G 6-10"	.20
BUNCHLEAF ENGLISH IVY		YELLOW SWEET OSMANTHUS	
HOLMSKIOLDIA sanguinea (new)		delavayi (new, grafted) 6 -8"	.40
CHINESE HAT PLANT C 6 -8 "	.15	(from 3" pots)	
(brick red bracts)		(One of most beautiful, fragrant,	
HYPERICUM calycinum root divis.	.04½	white flowering shrubs)	
(250 or more @ 4g)		PARASYRINGA sempervirens (new)	
ILEX aquifolium HOLLY S 6-8 "	.10	(frag. wh. fls) C&G 6 -8 "	.12
bare root seedlings	.06	PHILADELPHUS mex. plenus	
(250 or more @ 5g)		MEX. MOCKORANGE 1½/2 "	.10
aquifolium VAN TOL G 6 -8"	.30	PHOTINIA serrulata nova	
aquipernyi (new; hybrid)		CHINESE TOYON S 6 -8 "	.10
S 4 -8 "	.15	PIMELEA ferruginea C 6 -8 "	.10
cornuta CHINESE HOLLY 8 -12"	.12	PITTOSPORUM eugenoides	
(3" pot sdlgs)		S 6 -10"	.08
latifolia (new) S 8 -12"	.25	tenuifolium S 6 -8 "	.08
LAUROCERASUS officinalis		tebira S 3" pot 8 -12"	.15
ENGLISH LAUREL C 3 -4 "	.10	S 6 -8 "	.08
LAVANDULA pedunculata (new)		PROSTANTHERA nivea S 1 / 1½'	.10
(purple plumed) C 1 -2 "	.10	WHITE MINT BUSH (new)	
		(fls. white tinged with blue)	



PROSTANTHERA rotundifolia (new)		
PURPLE MINT BUSH C 4 -8 "	.12	
(fragrant blue or purple fls)		
PSORALEA - BLUE BROOM		
aphylla (new) C 1 /1½'	.10	
spicata (new) C 8 -12"	.08	
PUNICA granatum nana S 8 -12"	.12	
DWF POMEGRANATE (from 3" pots)		
PYRACANTHA atalantoides (new)		
(deep red berries) C&G 8 -12"	.10	
coccinea lalandi C 4 -6 "	.10	
formosana splendens C 2 -4 "	.12	
(hvy clusters bright red bers)		
rogersiana aurantiaca		
(large orange b) G&C 1 /1½'	.10	
yunnanensis S 3" p 3 /4 '	.20	
YUNNAN FIRETH S 3" p 1½/2 '	.15	
S 3" p 1 /1½'	.12	
QUERCUS chrysolepis		
GOLDENCUP OAK S 6 -10"	.12	
RAPHIOLEPIS ovata S 2 -4 "	.08	
SKIMMIA japonica C&G 3p 6 -8 "	.25	
(bright red fruit)		
SPARTIUM junceum S 2 /3 '	.10	
WEAVERS BROOM		
VIBURNUM tinus and lucidum		
C 2 -4 "	.08	
WESTRINGEA rosmariniformis (new)		
(white fls) C 6 -8 "	.10	
XYLOSMA senticosum (New)		
(fine hedge plant) C 4 -6 "	.12	

C L I M B E R S

BEAUMONTIA grandiflora (new)		
EASTER LILY VINE S 4 -6 "	.18	
(fragrant trumpet-shaped white flowers)		
BILLARDIERA longiflora		
(fls greenish-yel. S 8 -12"	.15	
beautiful blue berries)		
BOMAREA caldasiana (new)		
(red fls yellow S 6 -8 "	.25	
at base; red berries)		
HARDENBERGIA "Hardy Violet"		
S 4 -8 "	.10	
HEDERA canariensis (green)		
C 8 -12"	.10	
HARDENBERGIA monophylla lilacina		
(bright blue fls) S 8 -12"	.08	
monophylla rosca S 8 -12"	.08	
(pink fls)		
HEDERA canariensis variegata		
C 8 -12"	.10	
helix marmorata C 6 -8 "	.10	
MARbled IVY		
JASMINUM stephanense (new)		
(lavender pink fls, C 1 /1½'	.08	
intensely fragrant)		

M I S C E L L A N E O U S

DIANELLA intermedia 8 -10"	.12	
dark blue berried		
light blue berried		
LIBERTIA grandiflora 6 -8 "	.10	
(white flowers)		

C O N I F E R S

grafted	10 rate	100 rate	grafted	10 rate	100 rate
ABIES pinsapo glauca			CEPHALOTAXUS pedunculata fastigiata		
4p 1 /1½'	.55	.50	4p 8 -12"	.40	.35
4p 8 -12"	.45	.40			
CEDRUS atlantica glauca			CHAMAECYPARIS laws. allumi		
4p 8 -12"	.55	.50	4p 8 -12"	.40	.35
deodara fontinalis			lawsoniana elwoodi (new)		
4p 1½/2 '	.55	.50	4p 6 -8 "	.55	.50
4p 1 /1½'	.45	.40	(a dwarf form splendid for rock gardens.)		
4p 8 -12"	.40	.35	law. erecta viridis		
deodara repandens			4p 8 -12"	.40	.35
4p 1½/2 '	.55	.50			
libani compacta			Law. fletcheri		
4p 8 -12"	.40	.35	4p 8 -12"	.40	.35
			(large shrub, silveryblue fol.)		





<u>grafted conifers continued</u>			<u>grafted conifers continued</u>		
	10 rate	100 rate		10 rate	100 rate
CHAMPECYPARIS laws. minima			JUNIPERUS squamata meyeri		
4p 4 -6 "	.60	.50	4p 4 -6 "	.40	.35
(very dwarf, fine for rock gardens)					
laws. nidiformis			sp. Wilson's Weeping		
BIRDNEST C. 4p 8 -12"	.40	.35	4p 6 -8 "	.40	.35
obtusa crippsi (intensely golden fol.)			TAXUS baccata fastigiata (IRISH YEW)		
4p 8 -12"	.55	.50	C 2½"p 8-12"	.30	.25
obtusa gracilis			bac. fastigiata auroa		
4p 8 -12"	.85	.75	C 4p 4 -6 "	.35	.30
CUPRESSUS cashmioriana (new)(silv-blue)			bac. repandens aurea		
4p 8 -12"	.60	.50	C 4p 6 -8 "	.45	.40
JUNIPERUS chin. pfitzeriana			Weeping English Yew		
G&C 4p 8 -12"	.55	.50	C 4p 8 -12"	.60	.50
G&C 4p 6 -8 "	.40	.35	THUYA occidentalis pyramidalis		
chin. "pincushion"			AMERICAN PYRAMIDAL ARBORVITAE		
4p 6 -8 "	.40	.35	4p 8 -12"	.40	.35
japonica "San Jose" (prostrate)			4p 6 -8 "	.35	.30
C&G 4p 4 -6 "	.40	.35	(rapidly taking the place of		
sabina tamariscifolia			Italian Cypress)		
4p 4 -6 "	.40	.35	orientalis beverleyensis		
			4p 6 -8 "	.40	.35
			BEVERLEY GOLDEN ARBORVITAE		

Conifers not grafted

ABIES concolor WHITE FIR		
4p 8 -12" S	.30	.25
3p 1 / 1½' S	.25	.20
2½p 6 -8 " S	.18	.15
CEDRUS deodara DEODAR		
4p 8 -12" S	.30	.25
PINUS armandi ARMAND PINE		
3p 6 -8 " S	.18	.15

Conifers not grafted

PINUS montana mughus MUGHO PINE		
3 & 4p 6 -8 " S	.40	.35
2½ & 3p 4 -6 " S	.35	.30
ponderosa 4p 1 / 1½' S	.40	.35
radiata MONTEREY PINE		
4p 1 / 1½' S	.30	.25
TSUGA sieboldi SIEBOLD HEMLOCK		
3p 6 -8 " S	.30	.25

V I B U R N U M B U R K W O O D I

To receive an Award of Merit of the Royal Horticultural Society it must be good! This is probably the most valuable novelty in flowering shrubs that has appeared for years. Recently originated in England as the outcome of a cross between the well-known deciduous Viburnum carlesi and the little-known evergreen Viburnum utile. The result is a fast growing, very hardy semi-evergreen shrub bearing flowers as fragrant as V. carlesi, but in far larger heads up to four inches broad containing as many as 250 individual flowers. These are pinkish in the bud, but open white, and appear about a month earlier than those of V. carlesi. Foliage is rich, glossy green, which turns purplish bronze with winter weather, some of the lower leaves assuming vividly brilliant red and yellow autumnal tints. Prof. L. G. Chadwick of Ohio stated recently: "I am convinced that Viburnum burkwoodi will become an outstanding favorite as soon as it is better known."

balled 3 / 4 ft.	\$2.00 each
balled 2½ / 3 ft.	1.75 each
balled 2 / 2½ ft.	1.50 each
balled 1½ / 2 ft.	1.20 each

gal. cans 2 / 2½ ft.	1.20
gal. cans 1 / 1½ ft.	1.00
from 5" pots	.75
(50 or more @ .70)	

